

ONLY 7 MADE WORLDWIDE
SUSPENSION DESIGN SIMILAR
TO RS-1 / LAWILL

ALUMINUM

Aug 24, 1992

GARY FISHER BICYCLE COMPANY
1993 BICYCLE SPECIFICATIONS

Aug 18, 1992

Aug 7, 1992



COLORS: Rocket Red w/ White and Black outline decals

ASSEMBLY: FRAME SET WITH PICK

SIZES: 18", 21"

FRAME: Gary Fisher Design Toray Carbon Fiber Main Frame; Yamakuni 7005 Swing Arms, DKG Link Parts, Bullet Housing Stops, Two Pair Water Bottle Fittings

FORK: Rock Shox Mag 21; Threadless Evolution Steerer for "Ahead Set" (Installed in USA for F.O.B. San Rafael Sales)

DECALS: HRWT Under Clear Coat

HEAD SET: Tange-Seiki "Ahead Set"; Alloy; Evolution; Black; w/ 10mm Alloy Spacer; Cups Pressed into Frame, all Other Parts in Parts Box

HEAD SET PARTS: Star Fangled Nut/Top Cap for Ahead Set; TA-3; 1-1/4" Evolution

B.B. SET: White Industries; Titanium; 114 X 17mm Spindle w/Titanium End Bolts; 6003 Bearings from Japan with Sta-Lube Blue Grease

F. DER BAND: EC Type S-Bend Seat Tube Fixing Bolt and Nut from Anlen

SEAT POST: Control Tech Control Post; 6061 Alloy; 31.6mm X 300mm; Black

SP BINDER: DKG or Toray "T-O" (Thread-On) Seat Collar; 36.5mm I.D.; No QR

STEM: Control Tech Control Stem, Evolution Clamp Style for "Ahead Set"; 6061 Alloy; 115mm-16", 130mm-18", 145mm-20"; Black; 5 Degree Rise

EXTRAS: Rustless/Plated Water Bottle Cage Mounting Screws, GF Owner's Manual with 1993 Update, BB, Head Set and Stem Installed, Touch-up Paint

PACKAGING: Fisher Specification.

CARTON: Two Carton-1) Frame Set; One Set per Carton 2) Pick; One Set per Carton; Both Cartons: Brown, Recycled/Recyclable Fiber with Gary Fisher Logo, "Recycled Material" Printed on Both Cartons

CRANK SET: Shimano XTR; FC-M900; 170mm on 15.5", 175mm on 17.5", 19" and 20.5"; 46A-36A-26A; I.D. of 26A Increased for Oversize BB Shell

PEDALS: Shimano; PD-M737; Clipless

CHAIN: Shimano; CN-7401; 108 Links; Silver

R. DER: Shimano XTR; RD-M900

F. DER: Shimano XTR; FD-M900; 1-3/8 EC Type; Bottom Pull

SHIFTERS: Shimano XTR; ST-M900; 8 Speed

HANDLE BAR: Answer Hyper-Lite; 03-8104; Black Anodized; w/ Control Stix Lite-Team Issue; Hard Anodized

GRIPS: Bontrager; Black

FRONT BRAKE: Shimano XTR; BR-M900

REAR BRAKE: New Plunger Prostop; ProStop Disk Rotor

BRAKE LEVERS: Shimano XTR; ST-M900

BRAKE CABLES: Shimano 1.6mm, Black 5mm Housing

FRONT HUB: White Industries "Tracker" Suspension Front Hub; Alloy w/17 x 100mm Steel Axle; 32 Hole; Silver

FRONT HUB QR: Salsa Flip-Offs; Titanium/Alloy

REAR HUB: Campagnolo Tandem Hub; 135 x 14mm Axle, Bolt-On; 32 Hole

COGSET: Campagnolo; 12S-14S-16S-18S-21S-24S-28S-32S, 8 Speed

RIMS: Mavic; M-231; 32 Hole; Silver

TIRES: National: Rear-Smoke Comp; 26 x 2.1"; Front-Smoke Dart Comp HC; 26 x 2.1"; Kevlar Bead, Black Wall

TUBES: Panaracer Lite; 26 X 2.0"; Presta Valve

RIMSTRIPS: National Tire; Polyurethane Band, 26" to Fit Rim Width

SPOKES: Wheelsmith; Stainless; 15g Double Butted, 3 Cross 32 Hole; Black Alloy 12mm Nipples; Resin Spoke Protector

SEAT: Iscaselle Dakar; Titanium Rail, Leather

PACKAGING: Fisher Specification.

CARTON: Two Carton-1) Frame Set; One Set per Carton 2) Pick; One Set per Carton; Both Cartons: Brown, Recycled/Recyclable Fiber with Gary Fisher Logo, "Recycled Material" Printed on Both Cartons

REFLECTORS: CPSC Approved Cateye Micro RR160/RR550; with Black Brackets

EXTRAS: Wheels Built; Rimstrips, Tubes, Tires and Cog Set Installed

PROCALIBER

GARY FISHER BICYCLE COMPANY
1993 BICYCLE SPECIFICATIONS

Aug 24, 1992

Aug 18, 1992

Aug 7, 1992

COLORS: Team Tri-color w/ Black decals
ASSEMBLY: FRAME SET WITH PICK
SIZES: 15", 17", 18", 19"
FRAME: Gary Fisher Design Tange SuperLite Prestige, 1.2mm Head Tube, 76 x 35 x 2.5mm BB Shell, All Top Tube Route Bullet Housing Stops, Ritchey Logic Drop Outs, Two Pair Water Bottle Fittings
FORK: Rock Shox Mag 21; Threadless Evolution Steerer for "Ahead Set" (Installed in USA for F.O.B. San Rafael Sales)
DECALS: HRWT Under Clear Coat
HEAD SET: Tange-Seiki "Ahead Set"; Alloy; Evolution; Black; w/ 10mm Alloy Spacer
HEAD SET PARTS: Star Fangled Nut/Top Cap for Ahead Set; TA-3; 1-1/4" Evolution
B.B. SET: White Industries; Titanium; 108 X 17mm Spindle w/ Titanium End Bolts; 30 x 17 x 7mm Bearing from Japan
SEAT POST: Control Tech Control Post; 6061 Alloy; 26.8mm X 330mm; Black
SP BINDER: DKG "T-O" (Thread-On) Seat Collar; 30.0mm I.D.; No QR
STEM: Control Tech Control Stem; Evolution Clamp Style for "Ahead Set"; 6061 Alloy; 100mm-15", 115mm-17", 130mm-18", 145mm-19"; Black; 5 Degree Rise
EXTRAS: Rustless/Plated Water Bottle Cage Mounting Screws, GF Owner's Manual with 1993 Update, BB, Head Set and Stem Installed, Touch-up Paint
PACKAGING: Fisher Specification.
CARTON: Two Carton-1) Frame Set; One Set per Carton 2) Pick; One Set per Carton; Both Cartons: Brown, Recycled/Recyclable Fiber with Gary Fisher Logo, "Recycled Material" Printed on Both Cartons

CRANK SET: Shimano XTR; FC-M900; 170mm on 15", 175mm on 17", 18" and 19"; 46A-36A-26A
PEDALS: Shimano; PD-M737; Clipless
CHAIN: Shimano; CN-7401; 108 Links; Silver
R. DER: Shimano XTR; RD-M900
F. DER: Shimano XTR; FD-M901; 1-1/8 Clamp; Top Pull
SHIFTERS: Shimano XTR; ST-M900; 8 Speed
HANDLE BAR: Answer Hyper-Lite ;03-8104; Black Anodized; Same Width for all Frame Sizes w/Control Stix Lite-Team Issue; Hard Anodized
GRIPS: Bontrager; Black
BRAKES: Shimano XTR; BR-M900
BRAKE LEVERS: Shimano XTR; ST-M900
BRAKE CABLES: Shimano 1.6mm, Black 5mm Housing
FRONT HUB: White Industries "Tracker" Suspension Front Hub; Alloy w/17 x 100mm Steel Axle; 32 Hole
REAR HUB: Shimano XTR; FH-M900; 135mm Axle, 32 Hole; Silver; 8 Speed; No QR Skewer
HUB QR: Salsa Flip-Offs; Titanium/Alloy
COGSET: Shimano XTR; CS-M900; 12-32, 8 Speed
RIMS: Mavic; M-231; 32 Hole Rear; Silver
TIRES: National; Rear-Smoke Comp; 26 x 2.1"; Front-Dart Comp HC; 26 x 2.1"; Kevlar Bead, Black Wall
TUBES: Panaracer Lite; 26 X 2.0"; Presta Valve
RIMSTRIPS: National; Polyurethane Band; 26" to Fit Rim Width
SPOKES: Wheelsmith; Stainless; 15g Double Butted, 3 Cross 32 Hole Rear; Black Alloy 12mm Nipples
SEAT: Iscaselle Dakar; Black
PACKAGING: Fisher Specification.
CARTON: Two Carton-1) Frame Set; One Set per Carton 2) Pick; One Set per Carton; Both Cartons: Brown, Recycled/Recyclable Fiber with Gary Fisher Logo, "Recycled Material" Printed on Both Cartons
REFLECTORS: CPSC Approved CatEye Micro RR160/RR550; with Black Bracket
EXTRAS: Wheels Built; Rimstrips, Tubes, Tires and Cog Set Installed; 3 Pieces Teflon Cable Housing Liner for Top Tube Wires

RS-1 EXPERT

GARY FISHER BICYCLE COMPANY
1993 BICYCLE SPECIFICATIONS

Sept 3, 1992

Aug 28, 1992

Aug 26, 1992

COLORS: Gray/Blue Pearl w/ Titan Blue decal
ASSEMBLY: FRAME SET WITH PICK
SIZES: 15", 17", 19"
FRAME: Gary Fisher Design Tange Cro-Mo Main Frame, Upper Swing Arm and Lower Swing Arm, DKG Link Parts, Bullet Housing Stops Same Cable Routing as RS-1 Pro, Two Pair Water Bottle Fittings
FORK: Rock Shox Mag 21; Threadless Evolution Steerer for "Ahead Set" (Installed in U.S.A. for San Rafael Sales)
F.O.B.
DECALS: HRWT Under Clear Coat
HEAD SET: Tange-Seiki; Evolution "Ahead Set"; Alloy; w/10mm Alloy Spacer; Black; Cups Pressed into Frame, all other Head Set Parts in Parts Box
HEAD SET PARTS: Star Fangled Nut/Top Cap for Ahead Set; TA-3; 1-1/4" Evolution
B.B. SET: YST New Evolution; w/113mm Spindle for 96mm Shell, 6003 Bearings from Japan with Finish Line Grease, No Snaprings
F. DER BAND: Shimano; EC Band; 31.8mm
SEAT POST: Lee Chi Proponent SP-202; 28.6mm X 350mm; Silver
SP BINDER: Sugino; AH-85; Standard Binder Bolt, No QR
STEM: Sameness; Evolution Clamp Style for "Ahead Set"; Cro-Mo; Black; 100mm-15.5", 115mm-17.5", 130mm-19", 145-20.5"; 10 Degree Rise
EXTRAS: Rustless Water Bottle Cage Mounting Screws, Gary Fisher Owner's Manual with 1993 Update; BB, Head Set and Stem Installed
PACKAGING: Fisher Specification.
CARTON: Two Carton-1) Frame Set; One Set per Carton 2) Pick; One Set per Carton; Both Cartons: Brown, Recycled/Recyclable Fiber with Gary Fisher Logo, "Recycled Material" Printed on Both Cartons

CRANK SET: Shimano Deore LX FC-M560 170mm on 15, 175mm on 17 and 19"; 46A-36A-26A Chainrings; I.D. of 26A Increased for Oversize BB Shell
PEDALS: Shimano; PD M-525; SPD
CHAIN: Shimano; CN-HG70; 108 Links
R. DER: Shimano Deore XT; RD-M735
F. DER: Shimano Deore LX; FD-M560; 1-1/4 EC Type, Bottom Pull
SHIFTERS: Shimano Deore DX; SL-MT62; Thumb Shifter; 7S (compatible with 8 speed)
HANDLE BAR: Sameness 220g; Narrow on 15, wide on 17 and 19"; Silver; w/ Onza L-Bend Welded Bar Ends; BL-76AW; (BL-75A sub for early production); Black
GRIPS: Onza Porcupaws; MT-11BK; Black
BRAKES: Prostop Disk Rear; Shimano Deore LX Front; BR-M560
BRAKE LEVERS: Shimano Deore DX; BL-MT63; Two-Finger
BRAKE CABLES: Shimano 1.6mm; Black 5mm Housing
FRONT HUB: Shimano Deore LX; HB-M560-F; 100mm Axle, 32 Hole; Black
REAR HUB: Campagnolo Tandem Hub (Same as RS-1 Pro); 135mm Axle, 32 Hole; Silver
COGSET: Campagnolo 12-32; 8 Speed
RIMS: Bontrager: Front-BCX-1; Rear-BCX-2; 32 Hole; Silver
TIRES: National: Rear- Smoke; 26 x 2.1"; Front-Dart HC; 26 x 2.1"; Wire Bead, Black Wall
TUBES: National; 26 X 2.0"; Presta Valve
RIMSTRIPS: National; 26" to Fit Rim Width; Rubber
SPOKES: Asahi; Stainless; 15g Straight, 3 Cross; Brass 12mm Nipples; 5.4" Resin Taiwan Spoke Protector
SEAT: Velo Bontrager; Steel Rail, Vinyl Cover; Black
PACKAGING: Fisher Specification
CARTON: Two Carton-1) Frame Set; One Set per Carton 2) Pick; One Set per Carton; Both Cartons: Brown, Recycled/Recyclable Fiber with Gary Fisher Logo "Recycled Material" Printed on Both Cartons
REFLECTORS: CPSC Approved Cateye Micro RR160/RR550; with Black Bracket
EXTRAS: Wheels Built; Rimstrips, Tubes, Tires and Cog Set Installed

RS-1 PRO

Aug 24, 1992

GARY FISHER BICYCLE COMPANY
1993 BICYCLE SPECIFICATIONS

Aug 18, 1992

Aug 7, 1992

COLORES: Jet Black w/ Iris decals
ASSEMBLY: FRAME SET WITH PICK
SIZES: 15", 17", 19"
FRAME: Gary Fisher Design Easton 7005 Aluminum Main Frame, Upper Swing Arm and Lower Swing Arm; DKG Link Parts; Bullet Housing Stops, Two Pair Water Bottle Fittings
FORK: Rock Shox Mag 21; Threadless Evolution Steerer for "Ahead Set" (Installed in USA for F.O.B. San Rafael Sales)
DECALS: HRWT Under Clear Coat
HEAD SET: Tange-Seiki "Ahead Set"; Alloy; Evolution; Black; w/ 10mm Alloy Spacer; Cups Pressed Into Frame, All Other Head Set Parts in Parts Box
HEAD SET PARTS: Star Fangled Nut/Top Cap for Ahead Set; TA-3; 1-1/4" Evolution
B.B. SET: White Industries; Titanium; 114 X 17mm Spindle w/Titanium End Bolts; 6003 Bearings from Japan with Sta-Lube Blue Grease
F. DER BAND: Shimano EC Band 34.9mm
SEAT POST: Control Tech Control Post; 6061 Alloy; 31.6mm X 330mm; Black
SP BINDER: DKG "T-O" (Thread-On) Seat Collar; 35.0mm I.D.; No QR
STEM: Control Tech Control Stem, Clamp Style for "Ahead Set"; 6061 Alloy; Evolution, 115mm-15", 130mm-17", 145mm-19"; Black; 5 Degree Rise
EXTRAS: Rustless/Plated Water Bottle Cage Mounting Screws, GF Owner's Manual with 1993 Update, BB, Head Set and Stem Installed, Touch-up Paint
PACKAGING: Fisher Specification.
CARTON: Two Carton-1) Frame Set; One Set per Carton 2) Pick; One Set per Carton; Both Cartons: Brown, Recycled/Recyclable Fiber with Gary Fisher Logo, "Recycled Material" Printed on Both Cartons

CRANK SET: Shimano XTR; FC-M900; 170mm on 15.5", 175mm on 17.5", 19" and 20.5"; 46A-36A-26A; I.D. of 26A Increased for Oversize BB Shell
PEDALS: Shimano; PD-M737; Clipless
CHAIN: Shimano; CN-7401; 108 Links; Silver
R. DER: Shimano XTR; RD-M900
F. DER: Shimano XTR; FD-M900; 1-3/8 EC Type; Bottom Pull
SHIFTERS: Shimano XTR; ST-M900; 8 Speed
HANDLE BAR: Answer Hyper-Lite; 03-8104; Black Anodized; Same Width on all Frame Sizes w/Control Stix Lite-Team Issue; Hard Anodized
GRIPS: Bontrager; Black
REAR BRAKE: New Plunger Prostop; ProStop Disk Rotor
FRONT BRAKE: Shimano XTR; BR-M900
BRAKE LEVERS: Shimano XTR; ST-M900
BRAKE CABLES: Shimano 1.6mm, Black 5mm Housing
FRONT HUB: White Industries "Tracker" Suspension Front Hub; Alloy w/17 x 100mm Steel Axle; 32 Hole; Silver
FRONT HUB QR: Salsa Flip-Offs; Titanium/Alloy
REAR HUB: Campagnolo Tandem Hub; 135 x 14mm Axle, Bolt-On; 32 Hole
COG SET: Campagnolo; 12S-14S-16S-18S-21S-24S-28S-32S, 8 Speed
RIMS: Mavic; M-231; 32 Hole Rear; Silver
TIRES: National: Rear-Smoke Comp; 26 x 2.1"; Front-Smoke Dart HC Comp; 26 x 2.1"; Kevlar Bead, Black Wall
TUBES: Panaracer Lite; 26 X 2.0"; Presta Valve
RIMSTRIPS: National Tire; Polyurethane Band; 26" to Fit Rim Width
SPOKES: Wheelsmith; Stainless; 15g Double Butted, 3 Cross 32 Hole Rear; Black Alloy 12mm Nipples
SEAT: Iscaselle Dakar; Titanium Rail, Leather; Black
PACKAGING: Fisher Specification.
CARTON: Two Carton-1) Frame Set; One Set per Carton 2) Pick; One Set per Carton; Both Cartons: Brown, Recycled/Recyclable Fiber with Gary Fisher Logo, "Recycled Material" Printed on Both Cartons

REFLECTORS: CPSC Approved Cateye Micro RR160/RR550; with Black Bracket
EXTRAS: Wheels Built; Rimstrips, Tubes, Tires and Cog Set Installed

SUPERCALIBER

GARY FISHER BICYCLE COMPANY
1993 BICYCLE SPECIFICATIONS

COLORS: California Orange w/ Sea Gray decals
Ballistic Blue w/ Silver decals

ASSEMBLY: FRAME SET WITH PICK

SIZES: 15.5", 17.5", 19", 20.5"

FRAME: Gary Fisher Design 7004 Alloy, All Top Tube Cable Route Bullet Housing Stops, Two Pair Water Bottle Fittings, 76mm Wide BB Shell

FORK: Rock Shox Mag 21; Threadless Evolution Steerer for "Ahead Set" (Installed in U.S.A. for F.O.B. San Rafael Sales)

DECALS: HRWT Under Clear Coat

HEAD SET: Tange-Seiki; Evolution "Ahead Set"; Alloy; w/10mm Alloy Spacer; Black

HEAD SET PARTS: Star Fangled Nut/Top Cap for Ahead Set; TA-3; 1-1/4" Evolution

B.B. SET: YST New Evolution; w/113mm Spindle for 76mm Shell, SKF Bearings with Sta-Lube Blue Grease, No Snaprings

SEAT POST: Lee Chi Proponent SP-202, 29.4mm X 350mm, Silver

SP BINDER: Sugino AH-85; 25mm Standard Binder Bolt, No QR; with Dia-Compe "V" Cable Hanger

STEM: Control Tech Control Stem; Evolution Clamp Style for "Ahead Set"; 6061 Alloy; 100mm-15.5", 115mm-17.5", 130mm-19", 145-20.5"; Black; 5 Degree Rise

EXTRAS: Rustless Water Bottle Cage Mounting Screws, Gary Fisher Owner's Manual with 1993 Update; BB and Head Set/Stem Installed

PACKAGING: Fisher Specification.

CARTON: Two Carton-1) Frame Set; One Set per Carton 2) Pick; One Set per Carton; Both Cartons: Brown, Recycled/Recyclable Fiber with Gary Fisher Logo, "Recycled Material" Printed on Both Cartons

CRANK SET: Shimano Deore LX; FC-M560; 170mm on 15.5", 175mm on 17.5", 19" and 20.5"; 46A-36A-26S Chainrings

PEDALS: Shimano; PD M-525; SPD

CHAIN: Shimano; CN-HG70; 108 Links

R. DER: Shimano Deore XT; RD-M735

F. DER: Shimano Deore LX; FD-M561; 1-3/8 (34.9mm) Clamp Type, Top Pull

SHIFTERS: Shimano Deore LX; ST-M560; Rapidfire Plus, 7 Speed

HANDLE BAR: Sameness 220g; Narrow on 15.5", wide on 17.5", 19" and 20.5"; Black; No GF Logo w/ Onza Welded L-Bend Alloy Bar Ends; BL-76AW; (BL-75A sub for early production); Black

GRIPS: Onza Porcipaws; MT-11BK; Black

BRAKES: Shimano Deore LX; BR-M560

BRAKE LEVERS: Shimano LX; ST-M560

BRAKE CABLES: Shimano 1.6mm; Black 5mm Housing

FRONT HUB: Shimano Deore LX; HB-M560-F, 100mm Axle, 32 Hole, Black

REAR HUB: Shimano Deore LX; FH-M560, 135mm Axle, 32 Hole, Black

COGSET: Shimano Deore; CS-HG70; 13-30, 7 Speed; Silver

RIMS: Mavic; M-231; 32 Hole, Silver

TIRES: National; Rear-Smoke; 26 x 2.1"; Front-Dart HC; 26 x 2.1"; Wire Bead, Black Wall

TUBES: Cheng Shin; 26 X 2.0"; Presta Valve

RIMSTRIPS: National; 26" to Fit Rim Width; Rubber

SPOKES: Asahi; Stainless; 15g Straight, 3 Cross; Black Alloy 12mm Nipples; 5.4" Resin Taiwan Spoke Protector

SEAT: Velo Bontrager; Steel Rail, Leather; Black; Racing

PACKAGING: Fisher Specification

CARTON: Two Carton-1) Frame Set; One Set per Carton 2) Pick; One Set per Carton; Both Cartons: Brown, Recycled/Recyclable Fiber with Gary Fisher Logo "Recycled Material" Printed on Both Cartons

REFLECTORS: CPSC Approved Cateye Micro RR160/RR550; with Black Brackets

EXTRAS: Wheels Built; Rimstrips, Tubes, Tires and Cog Set Installed; 3 Pieces Teflon Cable Housing Liner for Top Tube Wires

PARAGON

GARY FISHER BICYCLE COMPANY
1993 BICYCLE SPECIFICATIONS

Sept 3, 1992

Aug 20, 1992

Aug 18, 1992

COLORS: Lapis w/ Silver decals
Fast Green w/ Silver decals

ASSEMBLY: 70% Assembled

SIZES: 15.5", 17.5", 19", 20.5"

FRAME: Gary Fisher Design Tange Cro-Mo, Investment Cast Seat Collar, All Top Tube Cable Route
3 Front Bullet Housing Stops all others Rounded Housing Stops, Two Pair Water Bottle
Fittings, 76mm BB Shell for New Fisher Evolution BB Set, Short Brake Snake, Forged
Drop-outs with 5mm Threaded Rack Mounts
***Top Tube: 30 x .9/.6/.9; Down Tube: 33 x .9/.6/.9; Seat Tube: 28.6 x .9/.6
***Chainstay: 19 x .9, Tapered; Seatstay: 16 x .9; Head Tube: 40 x 1.5

FORK: Rock Shox Mag 21 with Threadless Evolution Steerer for "Ahead Set"; Rock Shox Fork
Added to Bike Box at GFBC

DECALS: HRWT Under Clear Coat

HEAD SET: Tange-Seiki Evolution "Ahead Set"; Alloy; Black; w/10mm Alloy Spacer; Cups Pressed
into Frame, all other Head Set Parts in Parts Box

HEAD SET PARTS: Star Fangled Nut/Top Cap for Ahead Set; TA-3; 1-1/4" Evolution

B.B. SET: YST New Evolution w/108mm Spindle for 76mm Shell, 6003 Bearings from Japan
with Sta-Lube Blue Grease, No Snaprings

SEAT POST: Lee Chi Proponent; SP-202; 26.8mm X 330mm; Silver

SP BINDER: Sugino; AH-85; 25mm Standard Binder Bolt, No QR

STEM: Sameness Evolution Clamp Style for "Ahead Set"; Lite Cro-Mo; 100mm-15.5",
115mm-17.5", 130mm-19", 145-20.5"; Black; 10 Degree Rise

CRANK SET: Shimano Deore LX; FC-M560; 170mm on 15.5", 175mm on 17.5", 19" and 20.5";
46A-36A-26A Chainrings

PEDALS: Shimano; PD M-525; SPD

CHAIN: Shimano; CN-HG70; 108 Links

R. DER: Shimano Deore XT; RD-M735 SGS

F. DER: Shimano Deore LX; FD-M561; 1-1/8 (28.6mm) Clamp Type, Top Pull

SHIFTERS: Shimano Deore LX; ST-M560; Rapidfire Plus; 7 Speed

HANDLE BAR: Sameness 220g; Narrow on 15.5", wide on 17.5", 19" and 20.5"; Black; No GF Logo;
w/Onza Welded L-Bend Alloy Bar Ends; BL-76AW; (BL-75A sub for early production);
Black

GRIPS: Onza Porcipaws; MT-11BK; Black

BRAKES: Shimano Deore LX; BR-M560

BRAKE LEVERS: Shimano Deore LX; ST-M560

BRAKE CABLES: Shimano 1.6mm; Black 5mm Housing

FRONT HUB: Shimano Deore LX; HB-M560-F; 100mm Axle, 32 Hole; Black

REAR HUB: Shimano Deore LX; FH-M560; 135mm Axle, 32 Hole; Black

COGSET: Shimano; CS-HG70; 13-30, 7 Speed

RIMS: Araya; TM-18; 32 Hole; Silver; Drilled For Presta Valve

TIRES: National Smoke 2.1" Rear, Dart HC 2.1" Front; Wire Bead, Skin Wall

TUBES: Cheng Shin; 26 X 2.0"; Presta Valve

RIMSTRIPS: Cheng Shin ; 26" to Fit Rim Width; Rubber

SPOKES: Asahi; Stainless; 15g Straight, 3 Cross; Brass 12mm Nipples;
5.4" Resin Taiwan Spoke Protector

SEAT: Velo Bontrager; Steel Rail, Vinyl; Black

PACKAGING: Fisher Specification

CARTON: Brown, Recycled/Recyclable Fiber with Gary Fisher Logo
"Recycled Material" Printed on Both Cartons

REFLECTORS: CPSC Approved Cateye Micro RR160/RR550; with Black Bracket

EXTRAS: Rustless Water Bottle Cage Mounting Screws, Gary Fisher Owner's Manual with 1993
Update; Touch-up Paint, 3 Pieces Teflon Cable Housing Liner for Top Tube Wires

TAMALPAIS

GARY FISHER BICYCLE COMPANY
1993 BICYCLE SPECIFICATIONS

Aug 24, 1992

Aug 18, 1992

Aug 7, 1992

COLORS: Midnight Blue w/ Jade decals
Jade w/ Eggplant decals

ASSEMBLY: 70% Assembled

SIZES: 15.5", 17.5", 19", 20.5"

FRAME: Gary Fisher Design 7005 Anodizing with Supercal Geo, Top Tube Cable Route Bullet Housing Stops, Two Pair Water Bottle Fittings, 76mm BB Shell, 5mm Threaded Rack Mounts

FORK: Threadless Evolution Steerer for "Ahead Set", Cro-Mo Blades, Fisher Investment Cast Ends

DECALS: HRWT Under Clear Coat

HEAD SET: Tange-Seiki "Ahead Set"; Steel & Resin Lower Cup with Alloy Top Parts; Evolution; 2mm Spacer and 5mm Alloy Spacer

HEAD SET PARTS: Star Fangled Nut/Top Cap for Ahead Set; TA-3; 1-1/4" Evolution

CABLE HANGER: Zoom "Drop Style" Hanger; Evolution

B.B. SET: Shimano; BB-LP30; 118mm Spindle; Cartridge Type

SEAT POST: Lee Chi Proponent; SP-202; 29.4mm X 350mm; Silver

SP BINDER: Sugino; AH-85; 25mm Standard Binder Bolt

STEM: Sameness Evolution Clamp Style for "Ahead Set"; Lite Cro-Mo; 100mm-15.5", 115mm-17.5", 130mm-19", 145-20.5"; Black; 10 Degree Rise

CRANK SET: Sugino Fuse-500 Gary Fisher; 46A-36A-26A; 170mm on 15.5", 175mm on 17.5", 19" and 20.5"

PEDALS: Victor; 933 A, Black Cage

TOE CLIPS: VP-782 Med on 15.5" and 17.5"; Long on 19" and 20.5"

TOE STRAPS: VP-705 Nylon, Resin Coated, Black

CHAIN: Shimano; CN-HG50, 108 Links

R. DER: Shimano Exage ES; RD-M520 GS

F. DER: Shimano Exage LT; FD-M321; 1-3/8 (34.9mm) Clamp, Top Pull

SHIFTERS: Shimano Exage ES; ST-M520; Rapidfire Plus 7 Speed

HANDLE BAR: Brahma Bar; 560mm Wide; Black

GRIPS: Brahma Grip; Black

BRAKES: Shimano Exage LT; BR-M320

BRAKE LEVERS: Shimano Exage ES; ST-M320; Rapidfire Plus

BRAKE CABLES: Shimano 1.6mm; Black 5mm Housing

FRONT HUB: Shimano; HB-RM50; 100mm Axle, 32 Hole; Silver

REAR HUB: Shimano; FH-HG50; 135mm Axle, 32 Hole; Silver

COGSET: Shimano; CS-HG50; 13-30, 7 Speed; Brown

RIMS: Araya; TM-18; 32 Hole; Silver

TIRES: National Smoke-Rear 2.1"; Dart HC-Front 2.1"; Wire Bead, Skin Wall

TUBES: Cheng Shin; 26 X 2.0"; Presta Valve

RIMSTRIPS: National; Rubber; 26" to Fit Rim Width

SPOKES: Asahi; Stainless; 15g Straight, 3 Cross; Brass 12mm Nipples; 5.4" Resin Taiwan Spoke Protector

SEAT: Avocet Racing; R-V; Foam, Vinyl Cover; Black

CARTON: Brown, Recycled/Recyclable Fiber with Gary Fisher Logo, "Recycled Material" Printed on Both Cartons

REFLECTORS: CPSC Approved Cateye Micro RR160/RR550; with Black Brackets

EXTRAS: Rustless/Plated Water Bottle Cage Mounting Screws, GF Owner's Manual with 1993 Update; Touch-up Paint; 3 Pieces Teflon Cable Housing Liner for Top Tube Wires

HOO KOO E KOO

GARY FISHER BICYCLE COMPANY
1993 BICYCLE SPECIFICATIONS

Aug 20, 1992

Aug 18, 1992

Aug 7, 1992

COLORS: Screamin' Yellow w/ Titan Blue decals
Jet Black w/ Iris decals

ASSEMBLY: 70% Assembled; Rock Shox Sport Fork Added to Bike Box at GFBC

SIZES: 15.5", 17.5", 19", 20.5"

FRAME: Gary Fisher Design Tange Cro-Mo, Investment Cast Seat Collar, All Top Tube Cable Route
3 Front Bullet Housing Stops all others Rounded Housing Stops, Two Pair Water Bottle
Fittings, 76mm BB Shell for Fisher New Evolution BB Set, Brake Snake, Forged
Drop-outs with 5mm Threaded Rack Mounts
***Top Tube: 30 x .9/.6/.9; Down Tube: 33 x .9/.6/.9; Seat Tube: 28.6 x .9/.6
***Chainstay: 19 x .9, Tapered; Seatstay: 16 x .9; Head Tube: 40 x 1.5

FORK: Rock Shox "Sport" with Threadless Evolution Steerer for "Ahead Set"; Rock Shox Fork
Added to Bike Box at GFBC

DECALS: HRWT Under Clear Coat

HEAD SET: Tange-Seiki "Ahead Set"; Steel & Resin Lower Cup with Alloy Top Parts; 10mm Alloy
Spacer; Cups Pressed into Frame- All Other Head Set Parts in Parts Box

HEAD SET PARTS: Star Fangled Nut/Top Cap for Ahead Set; TA-3; 1-1/4" Evolution

B.B. SET: YST New Evolution; 108mm Spindle for 76mm Shell, SKF Bearings with
Sta-Lube Blue Grease, No Snaprings

SEAT POST: Lee Chi Proponent; SP-202; 26.8mm X 330mm; Silver

SP BINDER: Sugino; AH-85; 25mm Standard Binder Bolt; No QR

STEM: Sameness Evolution Clamp-on Style for "Ahead Set"; Lite Cro-Mo; 100mm-15.5",
115mm-17.5", 130mm-19", 145-20.5"; Black; 10 Degree Rise

CRANK SET: Shimano Exage ES; FC-M520 ; 170mm on 15.5", 175mm on 17.5", 19" and 20.5";
46A-36A-26A Chainrings

PEDALS: Victor; 933 A; Black Cage

TOE CLIPS: Victor; VP-782; Med on 15.5" and 17.5"; Long on 19" and 20.5"

TOE STRAPS: Victor; VP-705; Nylon, Resin Coated; Black

CHAIN: Shimano; CN-HG50; 108 Links

R. DER: Shimano Exage ES; RD-M520 SGS

F. DER: Shimano Exage LT; FD-M321; 1-1/8 (28.6mm) Clamp; Top Pull

SHIFTERS: Shimano Exage ES; ST-M520; Rapidfire Plus, 7 Speed

HANDLE BAR: Brahma Bar; 560mm Wide; Black

GRIPS: Brahma Grip; Black

BRAKES: Shimano Exage LT; BR-M320

BRAKE LEVERS: Shimano Exage ES; ST-M320; Rapidfire Plus

BRAKE CABLES: Shimano 1.6mm; Black 5mm Housing

FRONT HUB: Shimano; HB-RM50; 100mm Axle, 32 Hole; Silver

REAR HUB: Shimano; FH-HG50; 135mm Axle, 32 Hole; Silver

COGSET: Shimano; CS-HG50; 13-30, 7 Speed

RIMS: Araya; TM-18; 32 Hole; Silver; Drilled for Presta Valve

TIRES: National Smoke (Rear) 2.1"; Dart HC (Front) 2.1"; Wire Bead, Skin Wall

TUBES: Cheng Shin; 26 X 2.0"; Presta Valve

RIMSTRIPS: Cheng Shin; 26" to Fit Rim Width; Rubber

SPOKES: SD; Stainless; 15g Straight, 3 Cross; Brass 12mm Nipples;
5.4" Resin Taiwan Spoke Protector

SEAT: Avocet Racing; R-V; Foam, Vinyl Cover; Black (Same as '92)

PACKAGING: 70% Assembled- Ders Adjusted; 6 Cable End Caps in Small Parts Bag, "Ahead Set" Star
Fangled Nut/Cap & Alloy Spacer in Parts Box, Front Brake in Parts Box

CARTON: Brown Recycled/Recyclable Fiber Carton with Gary Fisher Logo,
"Recycled Material" Printed on Carton

REFLECTORS: CPSC Approved Cat-eye Micro RR160/RR550; with Black Bracket

EXTRAS: Owner's Manual with 1993 Update, Rustless/Plated Water Bottle Cage Mounting Bolts,
Touch-up Paint, 3 Pieces Teflon Brake Housing Liner for Top Tube Wires

AQUILA

GARY FISHER BICYCLE COMPANY
1993 BICYCLE SPECIFICATIONS

Aug 20, 1992

Aug 18, 1992

Aug 7, 1992

COLORS: California Orange w/ Sea Gray decals
Black Spruce w/ Silver decals

ASSEMBLY: 90% Assembled

SIZES: 15.5", 17.5", 19", 20.5"

FRAME: Gary Fisher Design Tange Cro-Mo, Investment Cast Seat Collar, All Top Tube Cable Route
3 Front Bullet Housing Stops all others Rounded Housing Stops, Two Pair Water Bottle
Fittings, 68mm BB Shell for Cartridge Style BB Set, Brake Snake, Forged Drop-outs with
5mm Threaded Rack Mounts
***Top Tube: 30 x .9/.6/.9; Down Tube: 33 x .9/.6/.9; Seat Tube: 28.6 x .9/.6
***Chainstay: 19 x .9, Tapered; Seatstay: 16 x .9; Head Tube: 40 x 1.5

FORK: True Temper Evolution Steerer, Cro-Mo Blades, Fisher Investment Cast Ends

DECALS: HRWT Under Clear Coat

HEAD SET: Tange-Seiki; FOV-ST; Steel/Resin

CABLE HANGER: Lee Chi; Evolution; Plastic Housing Ferrule

B.B. SET: Shimano; BB-LP30; Cartridge Style

SEAT POST: Lee Chi Proponent; SP-202; 26.8mm X 330mm; Silver

SP BINDER: Sugino; AH-85; 25mm Standard Binder Bolt, No QR

STEM: Sameness Evolution; Lite Cro-Mo; 100mm-15.5", 115mm-17.5", 130mm-19",
145-20.5"; Black; 15 Degree Rise; No GF Logo

CRANK SET: Shimano Exage LT; FC-M320 170mm on 15.5", 175mm on 17.5", 19" and 20.5";
46S-36S-26S Chainrings

PEDALS: Victor 922 S, Black Cage

TOE CLIPS: VP-782 Med on 15.5" and 17.5"; Long on 19" and 20.5"

TOE STRAPS: VP-705 Nylon, Resin Coated, Black

CHAIN: Shimano; CN-HG50; 108 Links

R. DER: Shimano Exage ES; RD-M520 SGS

F. DER: Shimano Exage LT; FD-M321; 1-1/8 (28.6mm) Clamp, Top Pull

SHIFTERS: Shimano Exage ES; ST-M520; Rapidfire Plus 7 Speed

HANDLE BAR: Sameness 220g; 268F; 540mm on 15.5", 560mm on 17.5", 19" and 20.5"; Black;
No GF Logo

GRIPS: Velo Fisher Hex-Lite; VGL 17; Kraton; Black

BRAKES: Shimano Exage LT; BR-M320

BRAKE LEVERS: Shimano Exage ES; ST-M520; Rapidfire Plus

BRAKE CABLES: Shimano 1.6mm; Black 5mm Housing

FRONT HUB: Shimano; HB-RM50; 100mm Axle, 32 Hole; Silver

REAR HUB: Shimano; FH-HG50; 135mm Axle, 32 Hole; Silver

COGSET: Shimano; CS-HG50; 13-30, 7 Speed

RIMS: Araya; TM-18; 32 Hole, Silver; Drilled for Presta Valve

TIRES: National Smoke (Rear) 2.1"; Dart HC (Front) 2.1"; Wire Bead, Skin Wall

TUBES: Cheng Shin; 26 X 2.0"; Presta Valve

RIMSTRIPS: Cheng Shin; 26" to Fit Rim Width ; Rubber

SPOKES: SD; Stainless; 15g Straight, 3 Cross; Brass 12mm Nipples;
5.4" Resin Taiwan Spoke Protector

SEAT: Avocet Racing; R-V; Foam, Vinyl Cover; Black (Same as '92)

PACKAGING: 90% Assembled- Brake/Shift Levers, Stem, Grips Installed on Handlebar; Saddle & Post
Assembled; Ders Adjusted; 6 Cable End Caps in Small Parts Bag

CARTON: Brown Recycled/Recyclable Fiber Carton with Gary Fisher Logo,
"Recycled Material" Printed on Carton

REFLECTORS: CPSC Approved Cateye Micro RR160/RR550; with Black Bracket

EXTRAS: Owner's Manual with 1993 Update, Rustless/Plated Water Bottle Cage Mounting Bolts,
Touch-up Paint, 3 Pieces Teflon Cable Housing Liner for Top Tube Wires

TASSAJARA

GARY FISHER BICYCLE COMPANY
1993 BICYCLE SPECIFICATIONS

Aug 20, 1992

Aug 18, 1992

Aug 7, 1992

COLORS: Rocket Red w/ White decals
Deep Purple w/ Silver decals

ASSEMBLY: 90% Assembled

SIZES: 15.5", 17.5", 19", 20.5", 22"

FRAME: Gary Fisher Design Plain Gauge 4130 Cro-Mo, Investment Cast Seat Collar; One Front Top Tube and Two Down Tube Bullet Housing Stops all others Rounded Housing Stops, Two Pair Water Bottle Fittings, 68mm Wide BB Shell, Brake Snake, Forged Drop-outs with 5mm Threaded Rack Mounts

FORK: True Temper Evolution Steerer, Cro-Mo Blades, Fisher Investment Cast Ends

DECALS: HRWT Under Clear Coat

HEAD SET: Tange-Seiki; FOV-ST; Steel/Resin; Evolution; Black

CABLE HANGER: Lee Chi; Alloy; Evolution; w/GF Logo, Plastic Housing Ferrule

B.B. SET: Shimano; LP-20; Cartridge-Type for 68mm Shell

SEAT POST: Lee Chi Proponent; SP-202; 28.6mm X 350mm; Silver

SPQR: Joy Yu JY-101C

STEM: Sameness Evolution; ATB-TB8F; Cro-Mo; 100mm-15.5", 115mm-17.5", 130mm-19", 145-20.5"; Black; 15 Degree; No GF Logo

CRANK SET: Shimano Altus A10; FC-AT10; 170mm on 15.5" and 17.5", 175mm on 19" and 20.5"; 46S-36S-26S Chainrings

PEDALS: Victor; 922 S; Black Cage

TOE CLIPS: Victor; VP-782; Resin; Med on 15.5" and 17.5"; Long on 19" and 20.5"; w/GF Logo

TOE STRAPS: Victor; VP-705; Nylon, Resin Coated; Black

CHAIN: Shimano; CN-HG50; 108 Links; Black

R. DER: Shimano Altus A10; RD-AT10 SGS

F. DER: Shimano Altus A10; FD-AT10; 1-1/4 (31.8) Clamp; Bottom Pull

SHIFTERS: Shimano Altus A10; ST-AT10; Rapidfire Plus, 7 Speed

HANDLE BAR: Sameness; 268F; 6061 Alloy; 5 Degree Bulge Bar 560mm wide; Black; No GF Logo

GRIPS: Velo Fisher Hex-Lite; VGL 17; Kraton; Black

BRAKES: Shimano Altus A10; BR-AT10

BRAKE LEVERS: Shimano Altus A10; ST-AT10

BRAKE CABLES: Shimano; 1.6mm; Black 5mm Housing

FRONT HUB: Shimano; HB-RM50 Q; 100mm Axle, 36 Hole; Silver

REAR HUB: Shimano; FH-HG50 Q, 135mm Axle, 36 Hole; Silver

COGSET: Shimano; CS-HG50; 13-30, 7 Speed; Brown

RIMS: Araya; AP-21; 36 Hole; Silver

TIRES: Cheng Shin Gary Fisher Switchbox; Wire Bead; 26 X 1.9"; Skin Wall

TUBES: Cheng Shin; 26 X 1.75"; Schraeder Valve

RIMSTRIPS: Cheng Shin; 26" to Fit Rim Width; Rubber

SPOKES: SD; Stainless; 15g Straight; 3 Cross, Brass 12mm Nipples; 5.4" Resin Taiwan Spoke Protector

SEAT: Viscount 2290 EMVF; Gel Foam, Vinyl Cover; Black

PACKAGING: Fisher Specification.

CARTON: Gary Fisher Spec with Gary Fisher Logo

REFLECTORS: CPSC Approved Cateye Micro RR160/RR550 with Black Bracket

EXTRAS: GF Owner's Manual with 1993 Update, Rustless/ Plated Water Bottle Cage Mounting Bolts, Touch-up Paint; One Piece Teflon Cable Housing Liner for Top Tube Brake Wire

13.5" TASSAJARA

Aug 20, 1992

GARY FISHER BICYCLE COMPANY
1993 BICYCLE SPECIFICATIONS

Aug 18, 1992

Aug 3, 1992

ASSEMBLY: 90% Assembled
SIZES: 13.5"
FRAME: Plain Guage 4130 Cro-Mo, All Cro-Mo Stays, Reinforced Seat Collar, One Front Top Tube and Two Down Tube Bullet Housing Stops all others Rounded Housing Stops, Two Pair Water Bottle Fittings, 68mm Wide BSA BB Shell, Brake Snake, Forged Drop-outs with 5mm Threaded Rack Mounts
FORK: 95mm Long True Temper Evolution Steerer, Cro-Mo Blades, Forged Ends with 5mm Threaded Rack Mounts
DECALS: BCS Under Clear Coat
HEAD SET: Tange-Seiki; FOV-ST; Steel/Resin w/Alloy Top Nut; Evolution; Black
CABLE HANGER: Lee Chi; Alloy; Evolution; w/GF Logo, Plastic Housing Ferrule
B.B. SET: Shimano; BB-LP20; Cartridge Type BB
SEAT POST: Lee Chi Proponent; SP-202; 26.4mm X 300mm; Silver
SPQR: Joy Yu JY-101C
STEM: Sameness Evolution; ATB-TB8F; Cro-Mo; 100mm; Black; 15 Degree Rise
CRANK SET: Shimano Altus A10; FC-AT10; 170mm; 46S-36S-26S Chainrings
PEDALS: Victor; 966 S; Black Cage
TOE CLIPS: Velo; VP-782; Resin; Med; Black; w/GF Logo
TOE STRAPS: Velo; VP-705; Nylon, Resin Coated; Black
CHAIN: Shimano; CN-HG50; 108 Links; Black
R. DER: Shimano Altus A10; RD-AT10 SGS
F. DER: Shimano Altus A10; FD-AT10; 1-1/8 (28.6mm) Clamp; Bottom Pull
SHIFTERS: Shimano Altus A10; ST-AT10; Rapidfire Plus, 7 Speed
HANDLE BAR: Sameness; 268F; 6061 Alloy; 5 Degree Bulge Bar 560mm wide; Black, No GF Logo
GRIPS: Velo Fisher Hex-Lite; VGL 17; Kraton; Black
BRAKES: Shimano Altus A10; BR-AT10
BRAKE LEVERS: Shimano Altus A10; ST-AT10
BRAKE CABLES: Shimano; 1.6mm; Black 5mm Housing
FRONT HUB: Shimano; HB-RM50 Q; 100mm Axle, 36 Hole; Silver
REAR HUB: Shimano; FH-HG50 Q, 135mm Axle, 36 Hole; Silver
COGSET: Shimano; CS-HG50; 13-30, 7 Speed; Brown
RIMS: Araya; AP-21; 36 Hole; Silver
TIRES: Cheng Shin Gary Fisher Switchbax; Wire Bead; 26 X 1.9"; Skin Wall
TUBES: Cheng Shin; 26 X 1.75"; Schraeder Valve
RIMSTRIPS: Cheng Shin; 26 X 1.5"; Rubber
SPOKES: SD; Stainless; 15g Straight; 3 Cross, Brass 12mm Nipples;
5.4" Resin Taiwan Spoke Protector
SEAT: Avocet; Vinyl; Ladies; Black
PACKAGING: Fisher Specification.
CARTON: Gary Fisher Spec with Gary Fisher Logo
REFLECTORS: CPSC Approved Cat-eye Micro RR160/RR550 with Black Bracket
EXTRAS: GF Owner's Manual with 1993 Update, Rustless/ Plated Water Bottle Cage Mounting Bolts, Touch-up Paint; One Piece Teflon Cable Housing Liner for Top Tube Brake Wire

ADVANCE

GARY FISHER BICYCLE COMPANY
1993 BICYCLE SPECIFICATIONS

Aug 20, 1992

Aug 18, 1992

Aug 7, 1992

COLORS: Jet Black w/ Iris decals
Lapis w/ Sage decals

ASSEMBLY: 90% Assembled

SIZES: 15.5", 17.5", 19", 20.5"

FRAME: All Cro-Mo Plain Gauge 4130 Cro-Mo; All Rounded Housing Stops, Two Pair Water Bottle Fittings, 68mm Wide BSA BB Shell, Brake Snake, Forged Drop-outs with two 5mm Threaded Rack Mounts
***Top Tube 31.8 x .9, Down Tube: 31.8 x 1.0; Seat Tube: 28.6mm x .9

FORK: Evolution Steerer, All Cro-Mo Blades, Forged Ends

DECALS: HRWT Under Clear Coat

HEAD SET: Tange-Seiki; FOV-ST; Steel/Resin; Evolution; Black

CABLE HANGER: Evolution by Lee Chi with GF Logo, Plastic Housing Ferrule

B.B. SET: Shimano; CS-11; Cartridge Type for 68mm Shell

SEAT POST: Lee Chi Proponent; SP-202; 26.4mm X 300mm; Silver

SPQR: Joy Yu; JY-101C

STEM: Sameness Evolution; ATB-TB-9; Hi-Ten; 115mm-15.5", 115mm-17.5", 130mm-19", 145-20.5"; Black; 15 Degree Rise, No GF Logo

CRANK SET: Shimano Altus C10; FC-CT10; 170mm; 48S-38S-28S Chainrings

PEDALS: Victor; VP-892; Nylon

CHAIN: Shimano; CN-HG50, 108 Links

R. DER: Shimano Altus C10; RD-CT10SGS

F. DER: Shimano Altus C10; FD-CT10; 1-1/8 (28.6mm) Clamp

SHIFTERS: Shimano; SL-M201; Top Mount Thumb Shifter

HANDLE BAR: Sameness; MB-268 ST; Steel; 540mm, 10 Degree Bend Bulge Bar, No GF Logo

GRIPS: Velo Fisher Hex-Lite; VGL 17; Kraton; Black

BRAKES: Shimano Altus C10; BR-CT10

BRAKE LEVERS: Shimano Altus C10; BL-CT10

BRAKE CABLES: Shimano 1.6mm; Black 5mm Housing

FRONT HUB: Shimano; HB-RM50-F; 100mm Axle, 36 Hole; Silver

REAR HUB: Shimano; FH-HG20; 135mm Axle, 36 Hole; Silver

COGSET: Shimano; CS-HG50; 13-30, 7 Speed; Brown

RIMS: Araya; MP-22; 36 Hole; Silver

TIRES: Cheng Shin Gary Fisher Switchbox; 26 X 1.9"; Wire Bead, Skin Wall, 50 TPI

TUBES: Cheng Shin; 26 X 1.75"; Schraeder Valve

RIMSTRIPS: Cheng Shin; 26" to Fit Rim Width; Rubber

SPOKES: UCP; Chrome Plated; 14g Straight, 3 Cross; Brass 12mm Nipples;
5.4" Resin Taiwan Spoke Protector

SEAT: Viscount 2290 EMVF; Gel Foam, Vinyl Cover; Black

PACKAGING: 90% Assembled- Brake/Shift Levers, Stem, Grips Installed on Handlebar; Saddle & Post Assembled; Ders Adjusted; 6 Cable End Caps in Small Parts Bag

CARTON: Brown Recycled/Recyclable Fiber Carton with Gary Fisher Logo,
"Recycled Material" Printed on Carton

REFLECTORS: CPSC Approved Cat-eye Micro RR160/RR550; with Black Bracket

EXTRAS: Owner's Manual with 1993 Update, Water Bottle Cage Mounting Bolts, One Piece Teflon Cable Housing Liner for Top Tube Brake Wire

SPHINX

GARY FISHER BICYCLE COMPANY
1993 BICYCLE SPECIFICATIONS

Aug 20, 1992

Aug 18, 1992

Aug 7, 1992

COLORS: Plum Crazy w/ Copper decals
ASSEMBLY: 90% Assembled
SIZES: 16", 18", 20"
FRAME: Plain Gauge 4130 Cro-Mo; Investment Cast Seat Collar, One Front Top Tube and Two Front Down Tube Bullet Housing Stops all other Rouded Housing Stops, Two Pair Water Bottle Fittings, 68mm BSA BB Shell, Brake Snake, Forged Drop-outs with two 5mm Threaded Rack Mounts
***Top Tube-28.6 x .9; Seat Tube-28.6 x .9; Down Tube- 31.8 x .9
Seat Stays- All Cro-Mo
FORK: 25.4mm Steerer, All Cro-Mo; Forged Ends
DECALS: SHRC Under Clear Coat
HEAD SET: YST; HP-8002 GW; Steel; Black
CABLE HANGER: Lee Chi; Alloy; Plastic Housing Ferrule
B.B. SET: Shimano; LP-30; Cartridge Type for 68mm Shell
SEAT POST: Lee Chi Proponent; SP-202; 26..4mm X 330mm, Silver
SPQR: Joy Yu JY-101C
STEM: LCS-749; Forged Alloy; 100mm-16", 120mm-18" & 20"; Black;
No GF Logo; 35 Degree Rise
CRANK SET: Shimano 400CX; FC-C400; 42A-32A-20S, 170mm on 16", 175mm on 18" and 20"
PEDALS: Victor; 922S; Steel Cage; Black
CHAIN: Shimano; CN-HG50, 108 Links
R. DER: Shimano 400CX; RD-C400 GS
F. DER: Shimano 400CX; FD-C400, 1-1/8 (28.6mm) Clamp; Bottom Pull
SHIFTERS: Shimano 400CX; ST-C040; Rapidfire Plus; 7 Speed
HANDLE BAR: Sameness; MB-268 ST; Steel; Black; 540mm, 10 Degree Bend Bulge Bar, No GF Logo
GRIPS: Velo; Fisher Hex-Lite; VGL 17; Kraton; Black
BRAKES: Shimano 400CX; BR-C400
BRAKE LEVERS: Shimano 400CX; ST-C040; Rapidfire Plus
BRAKE CABLES: Shimano 1.6mm; Black 5mm Housing
FRONT HUB: Shimano 400CX; HB-C400; 100mm Axle, 36 Hole, Silver
REAR HUB: Shimano 400CX; FH-C040, 130mm Axle, 36 Hole, Silver
COGSET: Shimano; CS-HG50-C; 11-19; Brown; 7 Speed
RIMS: Araya; PX-45; 700c, 36 Hole; Silver
TIRES: Cheng Shin Avocet; C-1012; 700 X 35c; Wire Bead, Skin Wall
TUBES: Cheng Shin; 700 X 35c; Schraeder Valve
RIMSTRIPS: Cheng Shin; Rubber; 700c to Fit Rim Width
SPOKES: SD; Stainless; 15g Straight, 3 Cross, Brass 12mm Nipples;
5.4" Resin Taiwan Spoke Protector
SEAT: Avocet Racing; R-V; Foam, Vinyl Cover; Black (Same as '92)
PACKAGING: Fisher Specification.
CARTON: Gary Fisher Spec with Gary Fisher Logo
REFLECTORS: CPSC Approved Cat-eye Micro RR160/RR550; with Black Brackets
EXTRAS: Owner's Manual with 1993 Update, Water Bottle Cage Mounting Bolts, Touch-up Paint;
One Piece Teflon Cable Housing Liner for Top Tube Brake Wire

FARALLON

GARY FISHER BICYCLE COMPANY
1993 BICYCLE SPECIFICATIONS

Aug 20, 1992

Aug 18, 1992

Aug 7, 1992

COLORS: Ballistic Blue w/ Silver decals
Jade w/ Eggplant decals

ASSEMBLY: 90% Assembled

SIZES: 16", 18", 20"

FRAME: 3 Main Tubes Plain Gauge 4130 Cro-Mo; All Else Hi-Ten; Investment Cast Seat Collar, All Rounded Housing Stops, Two Pair Water Bottle Fittings, 68mm Wide BSA BB Shell, Brake Snake, Forge Drop-outs with two 5mm Threaded Rack Mounts

FORK: 25.4mm Steerer, All Cro-Mo; Same Blades as Evo Sphinx, Forged Ends

DECALS: HRWT Under Clear Coat

HEAD SET: YST; HP-8002 GW; Steel; Black

CABLE HANGER: Lee Chi; Alloy; Plastic Housing Ferrule

B.B. SET: Shimano; BB-CS11; Cartridge Type for 68mm Shell

SEAT POST: Lee Chi Proponent SP-202, 26.4mm X 300mm, Silver

SPQR: Joy Yu JY-101C

STEM: Sameness; MS-90NS-2; Steel; 100mm-16", 115mm-18", 130mm-20"; Black; No GF Logo; 30 Degree Rise

CRANK SET: Shimano Altus C10; FC-CT10; 28S-38S-48S Chainrings; 170MM

PEDALS: Victor; VP-892; Nylon

CHAIN: Shimano; CN-HG50; 108 Links

R. DER: Shimano Altus C10; RD-CT10 SGS

F. DER: Shimano Altus C10; FD-CT10-C; 1-1/8 (28.6mm) Clamp

SHIFTERS: Shimano; SL-M201 Top Mount Thumb Shifter

HANDLE BAR: Sameness; MB-268 ST; Steel; Black; 540mm, 10 Degree Bend Bulge Bar, No GF Logo

GRIPS: Velo; Fisher Hex-Lite; VGL 17; Kraton; Black

BRAKES: Shimano Altus C10; BR-CT10

BRAKE LEVERS: Shimano Altus C10; BL-CT10

BRAKE CABLES: Shimano; 1.6mm; 5.0mm Housing; Black

FRONT HUB: Shimano; HB-RM-50-F; 100mm Axle, 36 Hole, Silver

REAR HUB: Shimano; FH-HG20; 135mm Axle, 36 Hole, Silver

COGSET: Shimano; CS-HG50; 13-30, Brown, 7 Speed

RIMS: Araya; PX-35; 700c, 36 Hole; Silver

TIRES: Cheng Shin; C-979; 700 X 35c; Wire Bead, Skin Wall

TUBES: Cheng Shin; 700 X 35c; Schraeder Valve

RIMSTRIPS: Cheng Shin; Rubber; 700c to Fit Rim Wldth

SPOKES: UCP; Chrome Plated; 14g Straight, 3 Cross, Brass 12mm Nipples; 5.4" Resin Taiwan Spoke Protector

SEAT: Viscount 2290 EMVF; Gel Foam, Vinyl Cover; Black

PACKAGING: Fisher Specification.

CARTON: Gary Fisher Spec with Gary Fisher Logo

REFLECTORS: CPSC Approved Cataye Micro RR160/RR550; with Black Brackets

EXTRAS: Owner's Manual with 1993 Update, Water Bottle Cage Mounting Bolts, Touch-up Paint
One Piece Teflon Cable Housing Liner for Top Tube Brake Wire

CALYDON

Aug 20, 1992

GARY FISHER BICYCLE COMPANY
1993 BICYCLE SPECIFICATIONS

Aug 18, 1992

Aug 7, 1992

COLORS: Rocket red w/ White decals
Gray/Blue Pearl w/ Eggplant decals

ASSEMBLY: 90% Assembled

SIZES: 16", 18", 20"

FRAME: 3 Main Tubes Plain Gauge 4130 Cro-Mo; All Else Hi-Ten; Investment Cast Seat Collar, All Rounded Housing Stops, Two Pair Water Bottle Fittings, 68mm Wide BSA BB Shell, Brake Snake, Forged Drop-outs with two 5mm Threaded Rack Mounts; Hi-Ten Stays

FORK: 25.4mm Steerer, All Cro-Mo; Same Blades as Evò Sphinx, Forged Ends

DECALS: HRWT Under Clear Coat

HEAD SET: YST; HP-8002 GW; Steel; Black

CABLE HANGER: Lee Chi; Alloy; Plastic Housing Ferrule

B.B. SET: Suntour; BB-CB-11-E; Cartridge Type for 68mm Shell

SEAT POST: Lee Chi Proponent SP-202, 26.4mm X 300mm, Silver

SPQR: Joy Yu JY-101C

STEM: Sameness; MS-90NS-2; Steel; 100mm-16", 115mm-18", 130mm-20"; Black; No GF Logo; 30 Degree Rise

CRANK SET: Suntour S-1; CW-X101; 28A-38A-48A Chainrings; 170mm

PEDALS: Victor; VP-892; Nylon

CHAIN: Suntour; CH-AP15; 108 Links

R. DER: Suntour; RD-S110-GXB

F. DER: Suntour; FD-XS01-GXH 28.6mm Clamp

SHIFT/BRAKE LEVER: Suntour; TS-S110-R7 and TS-XS00-L; Twist Grip

HANDLE BAR: Sameness; MB-268 ST; Steel; Black; 540mm, 10 Degree Bend Bulge Bar, No GF Logo

GRIPS: Suntour; GP-S100; Kraton; Black

BRAKES: Suntour; CT- XS00

BRAKE CABLES: Suntour; 1.6mm; 5.0mm Housing; Black

FRONT HUB: Suntour; HB AT02-F; 100mm Axle, 36 Hole, Silver

REAR HUB: Suntour; FH AT01-7; 135mm Axle, 36 Hole, Silver

COGSET: Suntour; CS AP10-K7 ;12-30 (OR 12-28), Black ,7 Speed

RIMS: Araya; PX-35; 700c, 36 Hole; Silver

TIRES: Cheng Shin; C-979; 700 X 35c; Wire Bead, Skin Wall

TUBES: Cheng Shin; 700 X 35c; Schraeder Valve

RIMSTRIPS: Cheng Shin; Rubber; 700c to Fit Rim Width

SPOKES: UCP; Chrome Plated; 14g Straight, 3 Cross, Brass 12mm Nipples; 5.4" Resin Taiwan Spoke Protector

SEAT: Viscount 2290 EMVF; Gel Foam, Vinyl Cover; Black

PACKAGING: Fisher Specification.

CARTON: Gary Fisher Spec with Gary Fisher Logo

REFLECTORS: CPSC Approved Cat-eye Micro RR160/RR550; with Black Brackets

EXTRAS: Owner's Manual with 1993 Update, Water Bottle Cage Mounting Bolts, Touch-up Paint; One Piece Teflon Cable Housing Liner for Top Tube Brake Wire